

DESKALERTS PUBLISHER'S GUIDE

© 2014

www.deskalerts.com

Reproduction of this guide in whole or in part, by any means whatsoever, is prohibited without the prior written consent of the publisher.

104 6th Street, Unit B Lynden, Washington 98264 USA

CONTENTS

1. WORKING AS A DESKALERTS PUBLISHER	4
2. LOGGING IN TO THE DESKALERTS CONTROL PANEL	4
3. THE CONTROL PANEL MENU	5
4. THE USERS LIST	6
5. SENDING AND MANAGING ALERTS	7
5.1 Schedule alerts	10
5.2 Sending alerts by SMS	12
5.3 Sending alerts to e-mail box	12
5.4 Blog post	12
5.5 Tweet	12
5.6 RSVP alerts	13
5.7 LinkedIn alerts	15
5.8 Drafts of alerts	16
5.9 Resending alerts	16
6. USING THE WYSIWYG EDITOR	17
6.1 WYSIWYG editor: common buttons	17
6.2 WYSIWYG editor: insert image	19
6.3 WYSIWYG editor: insert link	20
6.4 WYSIWYG editor: anchor points	20
6.5 WYSIWYG editor: insert table	21
6.6 WYSIWYG editor: insert video	21
6.7 WYSIWYG editor: insert Flash	23
6.7 WYSIWYG editor: insert Document	24
7. SENDING AND TRACKING SURVEYS	25

8.1 Creating RSS	29
8.2 Current RSS	
8.2 Draft RSS	
9. SENDING INSTANT MESSAGES	
9.1 Creating Instant Messages	
9.2 Sending Instant Messages	
9.3 Color Codes	
10. SENDING SCREENSAVERS	32
10.1 Creating Screensaver	
10.2 Current Screensavers	
10.3 Draft Screensavers	
11. SENDING WALLPAPERS	
10.1 Creating Wallpaper	
11.2 Current Wallpapers	
11.3 Draft Wallpapers	
12. SENDING EMERGENCY ALERT ON LOCKED SCREENS	
13. TEXT TEMPLATES	41
14. GETTING STATISTICS	42
13.1 Alerts statistics	43
13.2 User statistics	44
13.3 Survey statistics	45
15. CHANGE THE PASSWORD	47

1. WORKING AS A DESKALERTS PUBLISHER

DeskAlerts lets you quickly and easily communicate alerts to users, clients, or others who have installed the DeskAlerts Client.

• You can write and send *alerts*, and they will appear within a minute in the DeskAlerts Clients of those you chose to send to.

• You can customize alerts with *templates* designed for different groups or message types.

• You can send alerts as *broadcasts* to all DeskAlerts Client users or to members of a specific*group*, or *personal alerts* to individuals you choose.

- You can send *urgent* alerts that will appear ahead of any other alert message that may have been sent.
- You can create and send out quick *surveys* and see a diagram of how many people have chosen each answer you offered.
 - You can set up an *RSS feed* so that updates to that feed go immediately to the people you have selected.
 - You can send alerts (but not surveys) to people's *mobile devices* and *e-mail boxes*.

2. LOGGING IN TO THE DESKALERTS CONTROL PANEL


To access the DeskAlerts Control Panel:

Open browser window and navigate to the URL for the Control Panel (ask administrator to know the URL) You will see a login screen that looks like this:

DESK	ALERTS 7
Login	
Login:	admin
Password:	
	🖉 Login

Enter your login and Password, and the main DA Control Panel screen will appear:





Attention! DeskAlerts Control Panel requires JavaScript to function properly. Please turn on JavaScript in your browser. Contact your technical assistance if required. If you are using Internet Explorer as your web browser, please check if it is running in Compatibility mode - it causes some known problems with Javascript execution.

3. THE CONTROL PANEL MENU

When you log in to the DeskAlerts Control Panel, your main work area is on the right, and links related to your main tasks are on your left, in this menu.

Depending on the permissions you have, you may see the full list of links or a shorter list. Please contact your DeskAlerts administrator if you feel you need access to links that you do not see.

The display you first see is the control panel dashboard displaying scheduled content.

Menu may come in different styles: picture on the left reproduces classic menu style, picture on the right - modern style, available only with versions above 6.0.9.26.





M	enu
	Content schedule
•	Alerts
	Create Create Sent Draft
Þ	Surveys/Quizzes/Polls
Þ	RSS RSS
Þ	Screensavers
Þ	Wallpapers
	IP groups
	异 Domains
	Organization
	Lditors/Publishers
	Policies
	🛷 Message Templates
	Statistics
	🗽 Settings

4. THE USERS LIST

To review who is connected to your DeskAlerts system, select **Users** from the left-side menu. DeskAlerts will display a list of all users, starting with the most recent.

CORPORATE DESKTOP NOTIFICATION

You can search for a particular user by entering his or her username in the text field and clicking **Search**. Any users who match your search criteria will be displayed. To return to the view of the full list, click the Search button again with no search terms in the text field.

You can also browse the list of users by clicking on the page numbers at the top or bottom of the list.

From the display you can see, for each user:

- his or her user name
- when the user registered with DeskAlerts
- E-mail
- whether the user is **online** right now: if so, a green dot will appear.

• the date and time of the user's most recent DeskAlerts **activity**. For a user, this will probably be the last time he or she read and dismissed an incoming alert.

You can arrange the list of users by: user name, registration date, online status and last activity.

Note: you cannot add users.

In **Active Directory** mode, users list will appear as per Domains. It is possible to run synchronization manually - just click on the **Add domain** button available on the right top corner of **Groups** tab.

Group: Administrators Domain: softomate.net View 'Member Of' | View groups | View users | View computers

1-4 from 4 Users

Records per page	125	50	100	500	1000

Username	Domain	Mobile phone	Email	Online	Last activity	Actions
administrator	softomate.net		admins-2010@softomate.net	۲		\sim
maq	softomate.net		roman@softomate.com	۲		\triangleright
maxim	softomate.net		maxim@besttoolbars.net	۲		\triangleright
nevada	softomate.net		esinko@softomate.com	۲		\triangleright

1-4 from 4 nevada

Records per page | 25 | 50 | 100 | 500 | 1000

In **Registration Mode** users add themselves when they install the DeskAlerts Client. However, in Registration Mode you can delete user from the list by checking the checkbox and then clickdelete button. You can also add users to recipient groups. See **Managing groups**.

5. SENDING AND MANAGING ALERTS

There are three links in the Alerts menu section on the left side of your Control Panel screen:

- •
- Click the Create to add a new alert
- Click the **Sent** link to display all alerts that have been sent out, starting with the most recent.
- Click the Draft link to display alerts that have not yet been sent out. These alerts may not yet be complete.

Also at the top right of Sent and Draft pages you will see ADD ALERT button:



Click Create link or this button, choose the alert skin (if your DeskAlerts version supports them) and you will see the rich text editor to create the alert:

Default	Red	Green	Blue	
DESKALERTS 7	DESKALERTS 7	DESKALERTS 7	DESKALERTS 7	0
Subble	Develop	Note	Vellaur	
	Rounded	Note	Yellow	
DESKALERTS 7	DESKALERTS 7	DESKALERTS 7	DESKALERTS 7	

Add alert Add ticker A	dd RSVP LinkedIN	
Step 1 of 2 : Enter your alert text:		
B ℤ U Font Family ▼	Font Size • A	Preview Save Save & next >
Title:		Message Templates 🔹
	ragraph 🔹 Font Family 🔹 Font Size ?) 🔁 📾 Link 💥 🖞 💆 🏈 🛞 माणा	Click here to change skin
	X X X Ω Ω Ξ Ξ Ξ Ξ Ξ Ξ	
 Alert settings 		
 Schedule alert 		
 Alert appearance 		
 Messaging channels 		
Tweet 7 Blog post 7	Email Alert Email sender name: asdf	SMS Alert Preview SMS
		Preview Save Save & next >

This editor has a wide range of features that allow you to format the text of your messages, insert smiles or images, and adjust background and text colors to suit your message. Hover your mouse over each of the icons to learn what features it controls.

Note: The wide range of features in this editor can tempt you to create an alert that is so complex and ornate that it is hard to read in the window in which alerts display on users' computers. Since the goal is to convey information, one or two formatting and decorative touches will usually be sufficient.

Below the text editor there are additional controls:

Check the **Urgent alert** checkbox if this message is urgent - you might need to tell staff they have to evacuate the building, or a dangerous storm is approaching and you are closing the office for the day so they can get home. When you send the message, it will appear on users' computers even if they have set the client to not receive messages. The urgent alert will appear before any other alerts, and will appear first when the user starts up the DeskAlerts Client.

 Check the Acknowledgement checkbox if this message is required reading confirmation. In this case OK button will be displayed in alert's body.

- Check the Unobstrusive checkbox if this message is not urgent at all. The unobtrusive alert will not pop-up, it appears as notification on tray icon.
 - Check the Self-destruct checkbox you want to remove message after it was read.

Check the Autoclose checkbox if this message should be closed after some period of time. SelectManual close option to give an opportunity to close the message.

Check the **Self-destruct** checkbox you want to remove message after it was read.

• Check the Lifetime checkbox and enter time alert can be received. After this time it expires and won't be received. It is important to set the lifetime to reduce server load.

Add print button checkbox gives the possibility to print the alert content.

Check the Schedule alert checkbox to send the alert at a particular time or create recurrence alert. Read more in Schedule alerts section.

If templates have been established for your use, they will be listed in the Templates selection box. Choose the template that suits the purposes of this alert best. If you do not select a template, the system will use a plain default template. See Managing templates for further details.

You may choose the type of the alert:

- Check SMS Alert checkbox to send alert to mobile devices. Read more in Sending alerts by SMS section.
- Check Email Alert checkbox to send message to e-mail box. Read more in Sending alerts to e-mail box section.
- Check Blog post checkbox to post message in the blog. Read more in Sending blog postssection.
- Check Tweet checkbox to post message to Twitter. Read more in Tweet section.
- Desktop Alert allows sending alerts on the users' desktops. You can set its size and position in which it will appear on the screen.

When you have prepared the alert, you can click one of three buttons:

Preview: to see how the current state of the alert would look when a user receives it on his or her computer.

Save: DeskAlerts will save the alert as a draft. You can continue to edit it, and then save again when you are at your next stopping

place.

Next: Click this button if the alert is ready to go.

Note: working in Active Directory mode if you choose Group alert, you will see the list of all groups in all domains. If you choose Personal alert - you will see the list of all users in all domains:

DESKALER



lerts					
alert					
of 2: Select recipients:					
ert Type: Select recipients	•				
u have selected <u>0 objects</u> (cle	ear)				
Prganization Registered softomate.net	Search objec			w: V Users [🗌 Group
	<u>N</u>	ame <u>Type</u>	Display Name	Domain	<u>Online</u>
				-	٢
					٢
					٢
					٢
					٢
				-	٢
					٢
					٢
					۲
					۲
					۲
					۲
					٢
					٢

5.1 Schedule alerts

Check the **Schedule alert** checkbox during alert creation. With schedule feature you can send alerts at appointed date and time, or send recurrence alerts.

You will send **Once** alerts with no **end date** by default. It means your alert will be delivered to the user once he/she logging in (it can be at the same day or in a month - no matter). Enter the end date so it will automatically expire:



Schedule alert Pattern	Options
 Once Daily Weekly Monthly Yearly 	Start date: 10/15/2013 19:33 End date: 10/16/2013 06:21 Enable reminder Add

Send recurrence alerts: Daily, Weekly, Monthly, Yearly:

 Schedule alert Pattern Once Daily Weekly Monthly Yearly 	Options resend every veek on next days: Sunday Monday Tuesday Wednesday Thursday Friday Saturday
Start/End	
Start on: 10/15/2013	No end date
	End after: 1 occurences
	© End by:
Alert times of day	
S	tart time: 12:30
E	ind time: 18:00

According to the screenshot above, alert will be received only 1 time (**End after**: 1 occurence) within business days from 12:30pm to 6:00pm. If you need this alert to be sent each business day within a specific timeframe, just set **No end date** or **End by**.

5.2 Sending alerts by SMS

If **SMS** add-on has been installed, you can send alerts by SMS (Short Message Service) to the mobile devices of users. This means you can get urgent messages to your team when they are away from their computers or when your network is slow.

When you are sending an alert, enter the message and check the **SMS Alert** checkbox. And send the message as you normally do.

Note: SMS messages will normally be no longer than 160 characters long, and will lose any formatting you applied when you created the alert. Also, the alert will be sent without a template, so make sure that the body of the message states from whom the message is coming.

5.3 Sending alerts to e-mail box

If **E-mail add-on** has been installed, you can send alerts to e-mail boxes. When you are sending an alert, enter the message, check the **E-mail** checkbox and enter sender name (e-mail). And then send the message as you normally do:

Blog post		
SMS Alert	Preview SMS	
🔲 Email Alert		
Email sender i	name:	
admin		

5.4 Blog post

Check the **Blog post** checkbox to post the alert. You can post messages from DeskAlerts Control Panel directly to your corporate Wordpress-powered blog. Keep employees informed about important company news. Ensure that Blog settings are configured (read the manual to configure Blog post settings).

You can't send Blog post if alert is scheduled.

5.5 Tweet

Check the **Tweet** checkbox to post alert from DeskAlerts Control Panel directly to your corporate Twitter. The alert content will be truncated. Ensure that Twitter settings are configured (read the manual to configure Twitter settings).

5.6 RSVP alerts

With RSVP option you can send notification about upcoming events requesting confirmation or asking questions.

To send RSVP alert type select "Add RSVP" tab on alert creating page:

Alerts		
Add alert	Add ticker	Add RSVP

Enter question text and options for answer:

Question #1								
Question text:	Will you accept the invitation?							
Option:	Yes							
Option:	No							

Check question #2 option if you need more detail answer using a free text field:

Question #2								
Question text:	What is your reason							


Question type: Comment/Essay box (User will be able to answer with a free text)

User will receive an alert message with questions, options "Yes" or "No" and a free text field for custom answer:



DESKALERTS 7	New Alert! 🗙
Meeting at Tuesday 2:00 pm	Creation date: 15/10/2013 19:42:42
Meeting at Tuesday 2:00 pm in 56 office	
Will you accept the invitation? Yes No What is your reason Submit	

In "Alert details" you will find detailed report of your RSVP message:



5.7 LinkedIn alerts

You can post alerts on LinkedIn - famous social networking website for people in professional occupations. Alert text will be posted with the DA alert link. If you see no button "Share" and message Manage LinkedIn settings to enable the feature, then LinkedIn settings are not configured (read manual to configure LinkedIn settings).

Alerts			
Add alert	Add ticker	Add RSVP	LinkedIN

When LinkedIn settings are configured, you can see the button **Log in** (if you are not logged in to LinkedIn) or the button **Share**.

5.8 Drafts of alerts

If you have saved the alert but haven't sent it, it will appear in the list of **Drafts**. This list shown by clicking the **Drafts** link under **Alerts** on the left-side menu. The first few words of each alert appear to help you identify it.

To the right of each alert entry, there is a set of two icons:

Actions									
Ŵ		\triangleright	B						

• Click the envelope into send this draft. DeskAlerts will help you make sure you have identified recipients for this message, and then will send it out. The message will move from the **Drafts** list to the **Sent** list.

• Click the paper and pencil Z to open the rich text editor and make further edits to this draft. You can then save it again or send it.

• Click the magnifying glass 🖉 to show alert preview inside your control panel working area.

• Click the chain to open dialog containing direct link to this alert. You can send it to anyone who have network access to your server.

To delete draft from the list check the checkbox and click **Delete**.

5.9 Resending alerts

You can send an alert you have already sent out a second time, to the same audience or to a different audience.

Select the **Sent** link under the **Alerts** on the left-side menu bar. A list of all sent alerts will appear, starting with the newest one. At the right of each entry in **Actions** you will see the following icons:



Click the double-arrow to start the resend process. The rich text editor will appear, and you can modify the content of the alert and then send it again, using the same process as before.

6. USING THE WYSIWYG EDITOR

The WYSIWYG editor includes a rich set of options and commands that allow you to format your alerts so their presentation supports the content of their message. The editor has an array of control buttons at the top of the screen:

в	I	U	≣	≣	1	■	Parag	raph	•	Font	Family	•	Font !	Size	-	A	- 🌌	- 1	iCale	endar		
Ж	Ð	2	:=	Ξ	4	•	5	C	cə L	ink	èž 1	😼 د	1	Image: P	17ML 😃	=	0	0		87 (6
Ħ	-		┶	►¶	¶∢	—	21		x, x	° S	2 🗄	1		1 3	۳ B ₁₀	-	1 ⁹ m -	r ^p 1	1		<u>4</u>	î 🔳
Path:	p																					1.

The following pages provide a summary of what these controls let you do. You can also click @ button in the editor and help document will appear with further details about how to work with the editor.

6.1 WYSIWYG editor: common buttons

Here are the common buttons and a summary of what they do:

в	Bold text style (Ctrl+B)
_	
I	Italic text style (Ctrl+I)
<u>U</u>	Underline text style (Ctrl+U)
ABC	Strikethrough text style
	Align left
	Align center
IIII	Align right
	Align full
• • • •	Unordered list/bullet list
12 D	Ordered list/numbered list
.	Outdent/decrease indentation
. 	Indent/increase indentation
5	Undo the last operation (Ctrl+Z)
C ¹	Redo the last operation (Ctrl+Y)
63	Insert a new link, read more in insert link section
è	Unlinks the current selection/removes all selected links
Ļ	Insert a new anchor, read more in insert anchor section
2	Insert a new image, read more in insert image section
V	Cleanup code/Removes unwanted formatting
	Shows help window



HTML	Opens HTML source editor
2	Insert a new table at the current location
_***	Adds a row above the current one
$\exists_{\mathbf{u}}$	Adds a row under the current one
	Removes the row
Ψ	Adds a column before the current one
"	Adds a column after the current one
Ψ	Removes the current column
	Insert a new horizontal ruler
\mathcal{Q}	Removes formatting from the selection
×	Makes the selection to be subscript
×	Makes the selection to be superscripted
0	Insert video, read more in insert video section
Ø	Insert Flash, read more in insert flash section
And a state	Insert document, read more in insert document section

6.2 WYSIWYG editor: insert image

The insert image button opens the window shown below.

General Appearance	e Advanced	
General		
Image URL		
Image Description		
Title		
Preview		
Insert		Cancel

To add image to the alert /template choose image from Image list and click Insert.

Image description, add a short description that will be displayed if the image is not available when the alert is viewed.

Click **Browse** button to browse already uploaded images and upload an image from your PC and select.

Images	
Select the file to upload File: Choose File No file chosen	Upload
List of files on the web:	
	Search
Filename	Actions
tmp.png	\bowtie
back.gif	\bowtie
logo.gif	\bowtie
Back 1	of 1 Next

6.3 WYSIWYG editor: insert link

This button opens a new window with the insert/edit link function. Please select the text first before inserting a link.

General	Popup Events Advanced	
General P	roperties	
Text		
Link URL		
Target	Open in New Window (_blank)	
Title	Open in This Window/Frame Open in New Window (_blank)	
	Open in Parent Window/Frame (_parent) Open in Top Frame (Replaces All Frames) (_top)	
Insert		Cancel

Enter the URL of the link in the Link URL field. The target field lets you select how the link is to be opened - the most common choices would be in the current window or in a new window.

The other tabs of this control provide advanced features that allow you to govern complex scripted behavior through interactions with the link. It is beyond the scope of this guide to provide the thorough instruction in JavaScript that is readily available in specialized books and tutorials.

6.4 WYSIWYG editor: anchor points

An anchor point is an internal target for a link elsewhere on the page. Using a link in one part of a long alert to an anchor elsewhere in the alert can help the user by giving him a quick way of finding what he wants. You can create a table of contents for an alert, with each entry being a link to the anchor point at the start of each topic.

To create an anchor point, click where you want the anchor to be in the text, and then click the anchor icon. This window appears and lets you name the anchor:

Insert/Edit Anchor	
Anchor Name:	
Insert	Cancel

Then you can create a link elsewhere in the alert, which, when clicked, will move the display to the anchor location.

6.5 WYSIWYG editor: insert table

The insert table button opens the window shown below. This action enables you to create tables.

General Advan	iced		
General Propert	ties		
Columns	2	Rows	2
Cell Padding		Cell Spacing	
Alignment	Not Set 💌	Border	0
Width		Height	
Class	Normal	-	
Table Caption			
Insert			Cancel

On the **General** tab you set such elements as the number of columns and rows in the table, the spacing and padding of the cells in the rows, and any call to a style sheet that you are making. The **Advanced** tab contains additional formatting options.

6.6 WYSIWYG editor: insert video

The insert video button opens the window shown below. Use this feature to add video to a DeskAlerts.

Video	
Select the file to upload File: Choose File No file chosen	Upload
To record your own video:	Record
List of files on the web:	
	Search
Filename	Actions
users management demo.avi	\bowtie ×
Back 1 of	1 Next

Sometimes the best way to send information is with video. Using the insert video button, you can easily add video to a DeskAlerts. Provide users with videoconference segments, informational clips, or other movies by way of a convenient desktop alert.

Using the insert video window, simply browse for a file or use a file from the web and click**Upload** or **Insert** as appropriate. The video will then be sent out with the DeskAlerts.

Size		×
	Width 320	
	Height 240	
		Save

6.7 WYSIWYG editor: insert Flash

The insert Flash button opens the window shown below. This feature allows you to incorporate Flash movies or applications in a DeskAlerts.

Flash		
	file to upload ose File No file chosen on the web:	Upload
		Search
Filename		Search Actions
	anagement retreat.sw	

Flash applications and movies are fast becoming a popular method of presenting information in an interactive format. DeskAlerts allows you to add Flash media to your messages, further expanding the types of information that you can send to your users.

As with the insert video button, the insert Flash button brings up a window that allows you to browse for a Flash file to upload or select from a list of files available on the web. By clicking**Upload** or **Insert** as appropriate, the Flash file is included in the DeskAlerts.

Size		×
	Width 320	
	Height 240	
		Save



6.7 WYSIWYG editor: insert Document

The insert document button opens the window shown below, which is similar to that of insert video and insert Flash. Use this button to add documents or other important files to your outgoing DeskAlerts.

Documents	
Select the file to upload File: Choose File No file chosen List of files on the web:	Upload
	Search
Filename	Actions
DeskAlerts API Manual.doc	PX
MSSQL configuration.doc	PX
DeskAlerts 6 Presentation.pptx	Ρ×
Back 1	of 1 Next

When sending a desktop alert to your users, it is often helpful to attach further information in the form of a document. Easily attach business reports, schedules, letters, and other types of documents to your DeskAlerts. Since the alert appears on the desktop instead of in the user's email client (potentially among numerous junk messages), your documents will be more noticeable and will receive greater attention.

As with insert video and insert Flash, you can browse for a local file to upload or choose from a file on the web. The document you select will be included with the DeskAlerts.

7. SENDING AND TRACKING SURVEYS

While alerts are good at getting messages out to your team, surveys are excellent at getting the responses you need to key questions.

Each survey consists of questions and a series of answers that the recipient can choose from. You may schedule your survey to be sent at appointed date and time as well as expired after end date.

There are three survey links on the left-side menu:

- Click the Create link to create a new survey
- Click the Active link to display all active surveys which are still accepting responses.
- Click the Archived link to display past surveys.

Each survey in Active list has the following Actions:

A	ction	s
5	\triangleright	

- Click to resend the survey.
 Click to display responses to the survey:

Surveys/Quizzes/Polls				
View: Sport	survey			
Question text:	What is your favorite sport?			
Answer 1:	Football - 50%			
Answer 2:	Basketball - 0%			
Answer 3:	Hockey - 50%			
Answer 4:	Baseball - 0%			
	Close			

• Click I to stop survey and move it to the Archived list.

Above the Active list, top right corner, you will see an Add survey button:

+ Add

When you click it (or Create link from left side menu), the add-survey wizard will lead you through creation of your survey:



• Enter survey name, question and series of possible answers. You may offer minimum two answers, to add more answers click **add answer** link on the bottom of the last answer. To**Schedule survey** check an appropriate checkbox and enter start and end date/time:

Surveys/Quizz	es/Polis
Add survey	Add quiz Add poll
Add surve	γy
Name:	Sport survey
🔲 Schedu	le survey
Question [1] [< Previous question Next question >]
Question typ	e: Multiple choice (only one answer) - Radiobuttons 🔻
Question te>	t: What is your favorite sport?
Option:	Football
Option:	Basketball
Option:	Hockey
Option:	Baseball
Add option	
	Preview Save & add new question Save & next

You may choose a specific template from the drop down menu. To preview it just click on the preview link. To add more questions click the **Add question** button (top right corner):

Surveys/Quiz	zes/Polls
Add survey	
Question [2] 🗙	[< Previous question Next question >]
Question type:	Multiple choice (multiple answers) - Checkboxes
Question text:	Why do you like it?
Option:	It is easy in use
Option:	Provides me with quick response
Option:	Even don't knowbut I like it
Add option	Preview Save & add new question Save & next

• To delete the question or additional answer just click the delete button. To come back to the previous page click the **previous** button.

- If you are ready to proceed with the survey click the **next** button.
- Choose the recipients for this survey: broadcast, group or personal:

dd survey							
Type: Select recipients	<u>ar</u>)						< Back 🗍 Start
 Organization Registered softomate.net 	1-25	rch objects: from 59 objects			earch Sho	w: 📝 Users	🗌 Groups 🔲 Computers
	Rec	ords per page 25					pages: 1 <u>2 3</u>
		Name	<u>Type</u>	Display Name	Domain	Mobile phone	
		vmware_user	user	vmware_user	softomate.net		
		123	user	123	softomate.net		
		321	user	321	softomate.net		
		3212	user	3212	softomate.net		
		333	user	asda dsd	softomate.net		
		3331	user	3331	softomate.net		
		administrator	user		softomate.net		
		aileen	user	Aileen	softomate.net		
		aleksey	user	Aleksey Novikov	softomate.net		
		alexander.belykh	user	Alexander Belykh	softomate.net		
		andryv	user	Andry Virvich	softomate.net		
		anton	user	Anton Vdovin	softomate.net		
		antoxic87	user	Anton Toxic	softomate.net		
		antoxico/	user	Anton TOXIC	sonomate.net		
		azhil	user	Alexey Zhiltzov	softomate.net		

group type, and you have rights to publish to multiple groups, a selection field appears where you can choose specific groups to survey. Then click **Add** button to add specific groups to the survey list.

Click the start button



8. SENDING RSS

RSS add-on allows you to feed news, headlines, videos from any RSS enabled source for instance SharePoint, Exchange, websites, blogs, etc. Make your organization follow your corporate news or any other internal or external entries.

Configure RSS feed source and select recipients from your Active Directory or target to specific computers/users or groups. All RSS entries will be delivered as prominent desktop alerts or scrolling desktop ticker. Specify validity period for each of your RSS channels so that notification will only be available between specific dates.

On the left side menu under **RSS** you will find three links:

- Click the Create link to create a new RSS
- Click the Current link to display all current RSS Feeds.
- Click the **Draft** link to display draft RSS Feeds.

Also at the top right of Current and Draft pages you will see Add RSS button:

Add RSS/news feed



8.1 Creating RSS

Contents			
Title: New York Times RSS Feed: http://rss.nytimes.com/services/xml/rss/nyt/HomePage.	Send RSS	to SMS	
	Send RSS	to Email	
Lifetime: In 1 day(s) each alert created from RSS will	Email sender	name:]
expire and can't be received	admin		
🔲 Auto-close in 🔤 minute(s) 🖬 🗌 Allow manual close 🖬]
	🗹 Send RSS	to Desktops	
Start and end date and time	Display Type	Size Width: 500	рх
End date and time:	Pop up Ticker	Height: 400	рх
Select style template: default			


Click Create link or Add RSS button and you will see the RSS editor form to create the RSS:

On this form enter title, RSS Feed (URL of RSS Feed), Start and end date and time (if required), select style template, display type and size.

RSS 1.X, RSS 2.X and RSS ATOM feeds are supported, by default new RSS entries are checked every 5 minutes.

Click **Preview** button to preview future RSS alert to see what it looks like:





Then click **Save & next** button to select recipients and send:

RSS		
Add RSS		
Step 2 of 2: S	elect recipients:	
Alert Type:	Select recipients 💌	Send
	Choose	
	Broadcast	
	Select recipients	
	IP groups	

8.2 Current RSS

Each RSS Feed has the following Actions:

Acti	ions
5	►

- Click 🖸 to duplicate the RSS Feed.
- Click 🔳 to stop RSS alerts sending.
- Click 🕑 to start RSS alerts sending.
- Click RSS Feed name to view created RSS alerts.



8.2 Draft RSS

Each draft RSS Feed has the following Actions:

Acti	ions
M	

- Click is to open the RSS Feed form to select recipients and then sending.
- Click Z to continue editing the RSS Feed.

9. SENDING INSTANT MESSAGES


Instant Messages are basically advanced Message Templates. Unlike the Message Templates, Instant Messages have pre-defined list of recipients, along with message content. So, when it comes to sending the message - it can be done literally in one click.

9.1 Creating Instant Messages

If you have the rights to create Instant Messages, you can compose them just like usual alerts. You can specify any options available, select recipients and **Save** the Instant Message as a template. It will appear on the Instant Messages list (you can access it through the Instant Messages/Send menu item). The message will not be sent out immediately.

9.2 Sending Instant Messages

The list of pre-created Instant Messages is displayed as the multi-part tiles:



By hovering your mouse over the tile parts you can tell what they are used for. Some actions may be prohibited by your access policy.

To send the message, just click central part of the needed message tile. Some dialogues will demonstrate that the message is being sent and then you will be redirected to the Sent Alerts list.

9.3 Color Codes

Color Codes system is what helps the content senders to quickly select the needed message when it is being pushed in a rush. Publishers with the corresponding policy can manage Color Codes system to create different message groups - such as "Fire alarm" or "Medical Emergency"

If your company is using color codes system - don't forget to specify the code during the Instant Message creation.

10. SENDING SCREENSAVERS

Corporate screensaver is one of the less intrusive but powerful ways to communicate with desktops of your employees. DeskAlerts screensaver work same way as ordinary PC screensaver and allows for targeted content delivery.

Screensaver functionality allows delivering rich content such as images, text, HTML, clickable links, FLASH, video, scrolling text, PowerPoint slides with 100% visibility. Screensaver can be targeted to specific groups, departments or individual users or any combinations of the above. Delivery can be scheduled and availability time can be specified so that you can target specific events in your internal communication strategy. Screensaver content is created in WYSIWYG mode using internal rich content editor.

On the left side menu under Screensavers you will find three links:

- Click the Create link to create a new Screensaver
- Click the Current link to display all current Screensavers.
- Click the Draft link to display draft Screensavers.

Also at the top right of Current and Draft pages you will see Add Screensaver button:

Add screensaver

10.1 Creating Screensaver

Click **Create** link or **Add Screensaver** button and you will see the screen with three tabs for different screensaver types.

Screensavers

Import from Powerpoint 🛙	Use image as screensaver 🖬	HTML screensaver (ad	vanced) 🖥
Step 1 of 2 : Add screensaver:	Г		
Name:			
Contents Options	4		
1. You need to have Por	werPoint 2010 or later.		
2. Please have your slid	es ready and use File -> "Save	as" menu in PowerPoin	t
3. Select save as "Wind	ows Media Video (*.wmv)" from	the dropdown and sav	e
4. Use the button below	and upload the file you just say	/ed.	
(see instructions <u>here</u>)			
Choose video file			
		Preview Save &	next

If you choose html screensaver, you will see the editor form:

me:]
Contents Options	
B <i>I</i> <u>U</u> ≣ ≣ ≡ ≡	ormat • Font Family • Font Size • 🛕 • 💇 • 🛗 iCalendar
	1) 🕐 📾 Link 🚿 🖞 💆 🛷 🞯 🛲 🙂 🖛 🔊 🗟 🎇 🛐 🍛 🗮 🕞 🦃
🚆 🖳 🔩 🖕 MT 💷 —	2 🗐 ×, ×* Ω 🛃 = = d ⁺ =, ∋+ ² ₁₁ ² ♥ ≡ ≡ 4 . 2 2
ath: div » div » img	DESKALERTS CORPORATE DESKTOP NOTIFICATION



On this form enter title and screensaver content.

Contents Options
Time to display: 60 Seconds
The number of seconds to display screensaver before switch to next active screensaver
Start and end date and time
Start date and time:
End date and time:


On this tab you can setup time to display the screensaver.

Then click Save & next button to select recipients and send:

Screensavers				
Add screensaver				
Step 3 of 3: Se	elect recipients:			
Alert Type:	Select recipients 💌	Send		
	Choose			
	Broadcast			
	Select recipients			
	IP groups			

10.2 Current Screensavers

Each screensaver has the following Actions:



- Click to duplicate the Screensaver.
 Click to stop screensaver sending.
- Click 🕑 to start screensaver sending.
- Click I to view how screensaver looks like.

10.3 Draft Screensavers

Each draft Screensaver has the following Actions:



Acti	ions	

- Click to open the screensaver form to select recipients and then sending.
 Click to continue editing the screensaver.

11. SENDING WALLPAPERS

This add-on allows you to use DeskAlerts to publish corporate desktop wallpapers. Corporate wallpaper is less intrusive but effective corporate communications channel. Communicate regarding upcoming changes or news, establish internal brand or publish product announcements right to the employee desktop wallpaper.

Publish your messages as corporate desktop wallpapers, use scheduling and sequence your wallpapers if you want 2 or more messages to rotate. All advanced targeting options including delivery to users/groups or any combination of those is supported.

On the left side menu under Wallpapers you will find three links:

- Click the Create link to create a new Wallpaper
- Click the **Current** link to display all current Wallpapers.
- Click the **Draft** link to display draft Wallpapers.

Also at the top right of Current and Draft pages you will see Add Wallpaper button:

Add wallpaper

10.1 Creating Wallpaper

Click **Create** link or **Add Wallpaper** button and you will see the image selection screen to create the wallpaper:

Vallpapers	
Step 1 of 2 : Add wallpaper: Name:	
Contents Options	
Choose wallpaper	
	Preview Save & next

On this form enter title and choose wallpaper image. After that you'll see the additional parameters:

ep 1 of 2 : Ado me:	d wallpaper:			
Contents Image file:	Options DECIL THAT YOU WANT IT THAN YOU ARE AFFAIL DILL COSBY	DE MORE DOF IT.	Dimensions: File size: File name:	1440 x 900 145.80 KB 064-Cosby- 1440x900.jpg
Position:	Center 💌	Choose wallpaper	ы	

Select **Position** of image:

• Select the Center option to center the picture on the screen.



- Select the Tile option to tile the picture.
- Select the Stretch option to stretch the picture to fit the screen.

Contents Options
Time to display: 60 Seconds
The number of seconds to display wallpaper before switch to next active wallpaper
Start and end date and time
Start date and time:
End date and time:

On this tab you can setup time to display the wallpaper.

Then click Save & next button to select recipients and send:

Wallpapers	5	
Add alert		
Step 2 of 2: Se	elect recipients:	
Alert Type:	Select recipients 💌	Send
	Choose	
	Broadcast	
	Select recipients	
	IP groups	

11.2 Current Wallpapers

Each wallpaper has the following Actions:



- Click to duplicate the Wallpaper.
 Click to stop wallpaper sending.
 Click to start wallpaper sending.
 Click to view how wallpaper looks like.

11.3 Draft Wallpapers

Each draft Wallpaper has the following Actions:

Actions
i

- Click is to open the wallpaper form to select recipients and then sending.
- Click 🖉 to continue editing the wallpaper.

12. SENDING EMERGENCY ALERT ON LOCKED SCREENS

Allows communications to be delivered to the PC's when they are locked. As a result of corporate policies that logout user after certain period of inactivity the major part of PC's in organization remain locked. This add-on allows you to communicate on top of any screensavers or locked PC's.

Lock screen alert is specifically useful when we need to deliver critical information such as important notifications or emergency alerts.

DESKALERTS 7	Install options	
DEGRALERIO	If some options are disabled that means your license does not include them and you need to contact sales@deskalerts.com	
Create desktop shortcu		
Hide uninstall from start	tmenu	
🔲 Hide uninstall from Add	or Remove Programs	
Enable Autoupdate		
Enable silent autoupdat	e	
Allow alerts on locked s	creens (using service and for Windows Only)	
📝 Open URL after update		
http://192.168.0.235/des	skalerts//after_update.html	
DeskAlerts http://www.deska	erts.com	_
	< Back Next > Cancel	١
		411

If you have enabled this option in client builder, alert on locked screen looks just like that:





13. TEXT TEMPLATES

To reduce the time of alert creation you may create text templates for different situations (staff reminder, system outage, etc).

Click Text Templates link in left-side menu. You will see the list of available text templates:

Message Templates				
	+ Add template			
1-2 from 2 Style Templates Records per page <u>25</u> 50 <u>100 500 1000</u> Delete				
Template	Actions			
Greetings Card	2 🖮 🖊			
Meeting Reminder	❷ 💼 🖊			

To send an existent text template click in from Actions section and send the alert as you normally do.

To edit text template click I from Actions section and rich text editor will open to edit an alert template.

To create text template click **add template** button (top right corner), enter template name, alerts content. Click **Save**.

14. GETTING STATISTICS


You can see a range of information on DeskAlerts users, alerts, and surveys. DeskAlerts uses an unobtrusive technology, **Smart Activity Tracking** (SAT) to learn what happens to each alert and survey you send out.

• You can find out not just how many alerts were sent, but also how many have been received and not yet read - and how many users just dismissed the alert without reading it.

• For surveys, you can quickly check the response rate: how many have read the survey and how many have responded.

Click the Statistics link on the left-side menu.

The "Overall Statistics" page, which you enter by default, contains a dashboard-like area where you can add stats widgets with the reports most valuable to you.



Note that having too many widgets on one page may significantly slow the page performance and even lead to timeout errors. If you are experiencing such slowdowns - remove the widgets which seem to calculate the longest.


13.1 Alerts statistics

This display summarizes information about alerts, starting with one most recently sent.

erall Statistics Alerts statistics	Users statistics Surve	ys/Quizzes/Polls statistics	RSS statistics	Screensavers statistics	Wallpapers statisti
		Yes	sterday 💌		
		© 10/	16/2013	- 10/16/2013	Show
		0 10/	10/2010	10,10,2010	
from 2 Alerts					
cords per page 25 <u>50 100 500 ;</u>	1000				
100 per page (20 (<u>00 (100 (000)</u>)					
Alerts	Creation date	Sent date	Sent by	Recipients	Open Ratio
	Creation date 15/10/2013 19:44:51	Sent date 15/10/2013 19:44:56	<u>Sent by</u> admin	Recipients ostrichcorpse_test,	Open Ratio 33.33%
Alerts					-
Alerts Meeting at Tuesday 2:00 pm	15/10/2013 19:44:51	15/10/2013 19:44:56	admin	ostrichcorpse test,	33.33%

- Alerts: the text of the alert
- Creation date: date when alert was created
- Sent date: date when alert was sent out
- Send by: who sent the alert
- Recipients: who should receive the alert
- Open Ratio: the ratio between sent and received alerts

To view alert details click on the specific alert:



View the list of users, who had **Received**, **Acknowledged**, **Not received** this alert, by clicking on digit link (below the diagram).

13.2 User statistics

This display summarizes user information, starting with the most recently active user.

Overall Statistics	Alerts statistics	Users statistics	Surveys/Quizzes/Polls statistics	RSS statistics	Screensavers statistics	Wallpapers statistics
			Searc	h users:		
				oday 👻		
			0 1	0/16/2013	- 10/16/2013	Show
			-	-,,		
3 from 3 Users						
lecoras per pade l	25 50 100 500 1	1000				
ecords per page	25 50 <u>100 500 1</u> <u>Username</u>	1000 Statu	s Registered	1	Last activity	
	<u>Username</u>		s <u>Registerer</u> 09/10/2013 10:	-	Last activity 16/10/2013 10:4	
ecords per page strichcorpse_xpm est	<u>Username</u>	Statu		14:11		0:08
strichcorpse xpm	<u>Username</u>	Statu ©	09/10/2013 10:	14:11 09:37	16/10/2013 10:4	0:08 3:35
strichcorpse xpm est	<u>Username</u>	Statu ©	09/10/2013 10: 11/10/2013 13:	14:11 09:37	16/10/2013 10:4 16/10/2013 10:4	0:08 3:35

Status:

- 🔘 on-line
- 🔘 off-line
- standby
- 🥥 disabled

Open Ratio: the ratio between sent and received alerts

To view user details click on the specific user:



View the list of alerts that were **Received**, **Acknowledged**, **Not received** by current user, by clicking on digit link (below the diagram).


13.3 Survey statistics

This display summarizes information about surveys, starting with the one most recently sent.

verall Stat	tistics Alerts statist	cs Users statistics Surveys	s/Quizzes/Polls statistics	RSS statistics Screensave	rs statistics Wallpapers statisti
			۹	Last 7 days 💌	
			0 1	- 10/16	/2013 Show
2 from 2 S	urveys				
ecords pe	r page <u>25 50 100 5</u>	<u>00 1000</u>			
	Name	Date	Sent by	Recipients	Open Ratio
Түре			a direction	OstrichCorpse	0%
Type	test	10/16/2013 09:22	admin		
	test My Poll	10/16/2013 09:22 10/10/2013 14:10	admin	Broadcast	33.33%
	My Poll				33.33%

Open Ratio: the ratio between sent and received surveys

To view survey details click on the specific survey.



View the list of users that had **Received**, **Not received**, **Voted**, **Not voted**, by clicking on digit link (below the diagram).

In survey details you may track survey results. Click digit link near specific answer to view the list of users with such answer.

15. CHANGE THE PASSWORD

Click the **Settings** link in the left-menu bar. If you click it, a screen will display that allows you to update your password for the DeskAlerts Control Panel.